

Souhegan Coop High School

2019 Youth Risk Behavior Survey Report

Time Trends by Sex and by Grade

Greater Nashua Public Health Region

Introduction

The 2019 Youth Risk Behavior Survey (YRBS) report presents data which demonstrate the association between health-risk behaviors by sex and grade. We hope this report is useful in understanding high school student behaviors and assists you in developing educational programs, curriculum and communication tools to encourage and support healthy behaviors among students in your communities.

School-level Estimates

The 2019 survey response rate at Souhegan Coop High School was 88%, meaning 649 of 740 enrolled students took the survey¹. School-level estimates are unweighted and based on a convenience sample of students in attendance and not opting out of participation in the YRBS on a given date and time during the school year. Results could be less representative if specific classrooms or classroom types were not included in the survey. To account for this and provide risk-behavior estimates for the entire school, we extrapolated survey results using school enrollment data.


State and Regional Estimates

State and regional estimates were calculated from a random sample developed using scientific survey methods. These methods ensure the respondents are representative of students in the region in the state. The results account for student, classroom, school, and regional factors. The random sample is not designed to provide school-level estimates. Note: access to region-level results were first made available in 2015 and are not available prior to that year.

Data that had a representative sample of students, appropriate documentation, and an overall response rate greater than or equal to 60%² were weighted.

This report is produced in a partnership with the NH Department of Education and the NH Department of Health and Human Services.

Responses by Sex and Grade*



*Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

¹Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

²Overall response rate is computed as (number of participating schools/number of eligible sampled schools) X (number of usable questionnaires/number of eligible students sampled in participating schools), rounded to the nearest integer.

Regional Public Health Network Substance Misuse Prevention Coordinators are available to assist schools in coordinating community projects that promote healthy behaviors and educate school officials and stakeholders. Coordinators may also assist schools in obtaining school and community grant funding.

Your contact is:

Greater Nashua Public Health Region: Lisa Vasquez;
Phone: 603-589-4538; email: vasquezL@nashuanh.gov

Help and assistance

Questions on this report

Health Statistics and Data Management
Division of Public Health Services - State of NH
NH.YouthRiskBehaviorSurvey@dhhs.nh.gov; (603) 271-4988;

Additional technical assistance for YRBS related information

NH Center for Excellence
nhcenterforexcellence@jsi.com; (603) 573-3300
<http://nhcenterforexcellence.org/center-services/request-ta/>

Notes

You may find very small discrepancies between the 2017 estimates reported in this report and the results reported two years ago. The differences are caused by an improved data cleaning routine in the new survey. The results from this 2019 analysis and reports should be used if you find any discrepancies.

Change Log




v1.0: Final report released February 14th, 2020.

Category: Drug Use - Behaviors
Number and Percent of students who tried marijuana for the first time before age 13 years

School
1.9%
 14 of 735 students*

Region
4.2%
 398 of 9,505 students+

NH
4.7%
 2,548 of 54,393 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	38	4.4	-	-	4,775	7.7
2013	26	3.2	-	-	3,858	6.6
2015	35	4.1	583	5.9	3,511	6.1
2017	25	3.0	503	5.2	2,929	5.3
2019	14	1.9	398	4.2	2,548	4.7
Sex						
Female	s	s	114	2.5	876	3.4
Male	6	1.7	261	5.4	1,596	5.7
Grade						
09th	s	s	131	5.4	810	5.7
10th	s	s	108	4.3	591	4.3
11th	s	s	88	3.9	570	4.4
12th	s	s	50	2.2	450	3.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: How old were you when you tried marijuana for the first time?
 a: I have never tried marijuana; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;
 Numerator: bcd; denominator: abcdefg;
 Question number: 2019q44; 2017q44; 2015q42; 2013q46; 2011q40;

Category: Drug Use - Behaviors
 Number and Percent of students who currently used marijuana (one or more times) during the past 30 days



School
 21.6%
 160 of 738 students*

Region
 25.3%
 2,412 of 9,525 students+

NH
 26.1%
 14,167 of 54,358 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	199	22.7	-	-	17,622	28.4
2013	172	21.1	-	-	14,331	24.4
2015	177	21.0	2,321	23.3	12,663	22.2
2017	176	21.2	2,123	22.0	12,659	23.1
2019	160	21.6	2,412	25.3	14,167	26.1
Sex						
Female	69	17.5	1,171	25.4	6,618	25.4
Male	89	26.5	1,205	24.9	7,308	26.3
Grade						
09th	16	8.3	407	16.8	2,362	16.7
10th	30	16.0	554	22.2	3,322	24.0
11th	64	32.6	628	28.0	3,895	29.8
12th	45	28.9	785	34.5	4,301	33.9



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you use marijuana?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q45; 2017q45; 2015q43; 2013q47; 2011q41;




Category: Drug Use - Behaviors

Number and Percent of students who ever used synthetic marijuana (also called Spice, fake weed, K2, King Kong, Yucatan Fire, or Skunk) one or more times during their life

School
7.1%
52 of 710 students*

Region
8.0%
762 of 9,509 students+

NH
8.6%
4,604 of 53,723 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	64	7.8	-	-	8,097	13.8
2015	40	4.8	980	9.8	5,179	9.2
2017	40	4.9	510	5.3	3,071	5.6
2019	52	7.1	762	8.0	4,604	8.6
Sex						
Female	25	6.3	309	6.7	2,109	8.2
Male	24	7.1	433	8.9	2,396	8.7
Grade						
09th	8	4.2	174	7.2	918	6.6
10th	15	8.1	152	6.1	1,078	7.9
11th	13	6.8	172	7.7	1,144	8.9
12th	10	6.3	237	10.4	1,314	10.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used synthetic marijuana (also called Spice, fake weed, K2, King Kong, Yucatan Fire, or Skunk)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdefg;


Question number: 2019q46; 2017q49; 2015q50; 2013q48; 2011q999;

Category: Drug Use - Behaviors
 Number and Percent of students who ever used heroin (also called smack, junk, or China White) one or more times during their life



School
 1.0%
 7 of 704 students*

Region
 1.2%
 116 of 9,547 students+

NH
 1.5%
 801 of 54,649 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	20	2.2	-	-	2,216	3.6
2013	11	1.4	-	-	1,590	2.7
2015	15	1.8	251	2.5	1,387	2.4
2017	11	1.3	149	1.5	999	1.8
2019	7	1.0	116	1.2	801	1.5
Sex						
Female	s	s	14	0.3	184	0.7
Male	s	s	102	2.1	569	2.0
Grade						
09th	s	s	23	1.0	150	1.1
10th	0	0.0	31	1.2	154	1.1
11th	s	s	22	1.0	197	1.5
12th	0	0.0	31	1.4	199	1.6



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used heroin (also called smack, junk, or China White)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q47; 2017q46; 2015q47; 2013q51; 2011q50;


Category: Drug Use - Behaviors

Number and Percent of students who ever used methamphetamines (also called speed, crystal meth, crank, ice, or meth) one or more times during their life



School
1.0%
7 of 702 students*

Region
1.3%
125 of 9,547 students+

NH
1.7%
954 of 54,627 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	29	3.3	-	-	2,627	4.2
2013	20	2.5	-	-	1,677	2.9
2015	15	1.8	260	2.6	1,415	2.5
2017	8	1.0	167	1.7	994	1.8
2019	7	1.0	125	1.3	954	1.7
Sex						
Female	s	s	18	0.4	257	1.0
Male	s	s	107	2.2	658	2.4
Grade						
09th	s	s	21	0.9	189	1.3
10th	0	0.0	24	1.0	148	1.1
11th	s	s	26	1.2	239	1.8
12th	0	0.0	46	2.0	276	2.2



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;


Question number: 2019q48; 2017q47; 2015q48; 2013q52; 2011q51;

Category: Drug Use - Behaviors
 Number and Percent of students who ever used ecstasy (also called MDMA) one or more times during their life



School
 1.5%
 11 of 704 students*

Region
 2.1%
 204 of 9,543 students+

NH
 2.4%
 1,308 of 53,861 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	57	6.6	-	-	5,425	8.7
2013	47	5.7	-	-	4,329	7.4
2015	31	3.7	500	5.0	2,544	4.5
2017	19	2.3	230	2.4	1,652	3.0
2019	11	1.5	204	2.1	1,308	2.4
Sex						
Female	s	s	45	1.0	407	1.6
Male	7	2.1	152	3.1	833	3.0
Grade						
09th	s	s	33	1.4	228	1.6
10th	0	0.0	43	1.7	232	1.7
11th	s	s	37	1.6	348	2.7
12th	s	s	76	3.3	401	3.2



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used ecstasy (also called MDMA)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q49; 2017q48; 2015q49; 2013q53; 2011q52;




Category: Drug Use - Behaviors

Number and Percent of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) one or more times during their life

School
7.6%
56 of 738 students*

Region
8.6%
818 of 9,470 students+

NH
10.0%
5,364 of 53,449 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	145	16.6	-	-	12,936	20.8
2013	111	13.6	-	-	9,725	16.5
2015	118	14.0	1,517	15.2	7,591	13.4
2017	106	12.7	1,094	11.4	6,223	11.5
2019	56	7.6	818	8.6	5,364	10.0
Sex						
Female	16	4.1	299	6.5	2,269	8.9
Male	34	10.2	498	10.4	2,968	10.9
Grade						
09th	6	3.0	115	4.8	1,158	8.3
10th	11	6.1	209	8.3	1,218	9.0
11th	21	10.5	182	8.2	1,299	10.1
12th	13	8.1	277	12.2	1,523	12.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q50; 2017q50; 2015q51; 2013q54; 2011q45;


Category: Drug Use - Behaviors

Number and Percent of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times) during the past 30 days



School
3.4%
25 of 738 students*

Region
3.6%
338 of 9,463 students+

NH
4.3%
2,288 of 53,407 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	70	8.0	-	-	7,187	11.5
2013	56	6.8	-	-	4,495	7.6
2015	59	7.0	771	7.7	3,840	6.8
2017	31	3.7	438	4.6	2,802	5.2
2019	25	3.4	338	3.6	2,288	4.3
Sex						
Female	9	2.3	104	2.3	860	3.4
Male	15	4.4	234	4.9	1,356	5.0
Grade						
09th	s	s	63	2.6	580	4.2
10th	s	s	93	3.7	547	4.0
11th	11	5.8	79	3.5	546	4.3
12th	s	s	95	4.2	513	4.1



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q51; 2017q51; 2015q52; 2013q55; 2011q46;

Category: Drug Use - Behaviors
 Number and Percent of students who were offered, sold, or given an illegal drug on school property during the past 12 months

School	Region	NH
22.7%	19.6%	20.3%
168 of 739 students*	1,867 of 9,543 students+	11,070 of 54,531 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	162	18.5	-	-	14,378	23.1
2013	143	17.5	-	-	11,779	20.1
2015	126	15.0	1,667	16.7	9,470	16.5
2017	164	19.7	1,572	16.2	8,956	16.3
2019	168	22.7	1,867	19.6	11,070	20.3
Sex						
Female	70	17.8	769	16.6	4,956	19.0
Male	95	28.0	1,062	21.8	5,934	21.3
Grade						
09th	35	18.2	441	18.2	2,787	19.6
10th	37	19.6	486	19.4	2,874	20.8
11th	55	27.9	531	23.7	2,917	22.3
12th	34	22.2	362	15.8	2,296	18.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?
 a: Yes; b: No;
 Numerator: a; denominator: ab;
 Question number: 2019q52; 2017q52; 2015q53; 2013q56; 2011q54;

Category: Drug Use - Perceptions
 Number and Percent of students who recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs during the past 12 months



School
 71.1%
 526 of 739 students*

Region
 72.3%
 6,905 of 9,553 students+

NH
 70.2%
 37,778 of 53,788 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	580	71.2	-	-	39,043	66.9
2015	660	78.3	7,846	78.9	44,698	79.6
2017	590	71.0	6,683	69.4	37,151	68.6
2019	526	71.1	6,905	72.3	37,778	70.2
Sex						
Female	296	76.0	3,468	74.9	18,583	72.4
Male	226	66.9	3,417	70.2	18,839	68.5
Grade						
09th	123	63.5	1,708	70.4	9,566	68.3
10th	140	75.9	1,846	73.5	9,660	70.9
11th	142	71.7	1,663	74.1	9,454	73.2
12th	116	75.6	1,648	71.9	8,743	69.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, do you recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2019q53; 2017q53; 2015q78; 2013q99; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they use marijuana once or twice a week

School
 9.7%
 72 of 729 students*

Region
 11.3%
 1,068 of 9,435 students+

NH
 10.3%
 5,440 of 52,767 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	179	22.0	-	-	12,678	21.7
2015	133	15.8	1,806	18.2	10,245	18.3
2017	114	13.8	1,665	17.6	8,561	16.1
2019	72	9.7	1,068	11.3	5,440	10.3
Sex						
Female	43	11.0	535	11.7	2,746	10.9
Male	29	8.6	532	11.1	2,645	9.8
Grade						
09th	28	14.3	356	14.9	1,851	13.5
10th	20	10.8	346	14.0	1,397	10.5
11th	16	8.2	185	8.2	1,156	9.1
12th	8	5.2	180	8.0	974	7.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they use marijuana once or twice a week?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;
 Numerator: d; denominator: abcd;
 Question number: 2019q89; 2017q86; 2015q85; 2013q83; 2011q999;




Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School
 56.2%
 416 of 729 students*

Region
 58.7%
 5,534 of 9,422 students+

NH
 56.7%
 29,879 of 52,672 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	518	59.1	-	-	37,816	60.9
2013	537	65.9	-	-	36,841	63.0
2015	519	61.7	6,106	61.5	35,154	62.8
2017	555	66.8	6,208	65.4	33,668	63.2
2019	416	56.2	5,534	58.7	29,879	56.7
Sex						
Female	257	66.1	3,032	66.4	15,534	61.5
Male	152	44.9	2,467	51.5	14,027	52.3
Grade						
09th	103	53.3	1,303	54.9	7,016	51.4
10th	90	49.4	1,459	58.8	7,386	55.4
11th	111	56.1	1,271	56.6	7,473	59.0
12th	107	68.1	1,466	65.4	7,693	62.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 2019q90; 2017q87; 2015q86; 2013q84; 2011q85;

Category: Drug Use - Perceptions
 Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to smoke marijuana

School
38.8%
 287 of 734 students*

Region
38.4%
 3,620 of 9,421 students+

NH
37.7%
 19,939 of 52,823 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	388	47.7	-	-	23,934	41.0
2015	352	41.8	4,065	40.9	24,023	42.9
2017	317	38.2	3,789	39.8	19,913	37.3
2019	287	38.8	3,620	38.4	19,939	37.7
Sex						
Female	163	41.9	1,884	41.2	10,173	40.2
Male	118	35.0	1,723	36.0	9,620	35.7
Grade						
09th	116	59.4	1,287	53.8	7,105	51.8
10th	85	46.2	1,016	41.0	5,320	39.8
11th	51	25.7	647	28.8	4,075	32.0
12th	34	22.2	652	29.2	3,247	26.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;




Numerator: ab; denominator: abcde;

Question number: 2019q92; 2017q90; 2015q89; 2013q87; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School 85.2% 630 of 732 students*	Region 85.3% 8,033 of 9,416 students+	NH 83.6% 44,144 of 52,797 students+
------------------------------------------------	----------------------------------------------------	--------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	666	81.7	-	-	45,392	77.7
2015	685	81.3	7,851	79.0	45,635	81.4
2017	701	84.3	7,752	81.3	42,891	80.5
2019	630	85.2	8,033	85.3	44,144	83.6
Sex						
Female	342	87.6	4,034	88.1	22,169	87.6
Male	278	82.3	3,968	82.9	21,601	80.3
Grade						
09th	172	88.2	2,080	87.2	11,431	83.4
10th	148	80.0	2,127	85.6	11,290	84.5
11th	167	84.8	1,909	85.3	10,673	84.0
12th	138	88.9	1,869	83.6	10,317	83.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q93; 2017q91; 2015q90; 2013q88; 2011q999;

Category: Drug Use - Perceptions
 Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to smoke marijuana

School
 83.8%
 620 of 733 students*

Region
 81.9%
 7,724 of 9,428 students+

NH
 78.5%
 41,521 of 52,885 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	713	87.5	-	-	48,011	82.4
2015	717	85.2	8,330	83.6	46,552	83.0
2017	666	80.2	7,710	80.9	42,017	78.8
2019	620	83.8	7,724	81.9	41,521	78.5

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	342	87.6	3,789	82.7	20,382	80.4
Male	269	79.9	3,889	81.3	20,751	77.1

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	177	91.1	2,084	87.6	11,619	84.6
10th	165	89.4	2,096	84.4	10,871	81.2
11th	163	83.0	1,857	83.0	9,864	77.6
12th	110	71.1	1,636	72.8	8,736	70.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;




Numerator: ab; denominator: abcde;

Question number: 2019q96; 2017q94; 2015q93; 2013q91; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School 97.8% 724 of 733 students*	Region 96.4% 9,090 of 9,434 students+	NH 95.5% 50,492 of 52,881 students+
------------------------------------------------	----------------------------------------------------	--------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	819	93.5	-	-	57,568	93.3
2013	787	96.6	-	-	55,041	94.1
2015	812	96.4	9,428	94.6	53,132	94.9
2017	806	97.0	8,948	94.2	50,208	94.2
2019	724	97.8	9,090	96.4	50,492	95.5
Sex						
Female	386	98.8	4,487	97.7	24,544	96.8
Male	327	96.6	4,559	95.1	25,452	94.5
Grade						
09th	189	96.5	2,300	96.4	13,101	95.3
10th	181	98.1	2,407	96.7	12,801	95.7
11th	193	98.2	2,184	97.6	12,197	95.9
12th	153	98.5	2,141	95.3	11,883	95.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q97; 2017q95; 2015q94; 2013q92; 2011q95;

Category: Drug Use - Perceptions
 Number and Percent of students who think it would be very easy for them to get some marijuana if they wanted to

School	Region	NH
32.2%	38.5%	39.0%
238 of 723 students*	3,612 of 9,386 students+	20,510 of 52,654 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	377	43.1	-	-	29,322	47.7
2013	302	37.0	-	-	27,271	47.1
2015	309	36.7	4,284	43.3	23,199	41.6
2017	337	40.5	3,881	41.3	21,919	41.4
2019	238	32.2	3,612	38.5	20,510	39.0
Sex						
Female	107	27.4	1,749	38.2	9,374	37.2
Male	127	38.0	1,819	38.3	10,833	40.3
Grade						
09th	33	16.8	580	24.5	3,461	25.4
10th	42	23.2	852	34.8	4,687	35.2
11th	86	43.8	998	44.6	5,741	45.3
12th	72	45.9	1,138	50.5	6,269	50.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get some marijuana, how hard or easy would it be for you to get some?
 a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;
 Numerator: d; denominator: abcd;
 Question number: 2019q99; 2017q98; 2015q98; 2013q96; 2011q98;




Category: Drug Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some prescription drug without a doctor's prescription if they wanted to (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School
8.5%
63 of 724 students*

Region
8.8%
824 of 9,370 students+

NH
10.0%
5,265 of 52,573 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	165	18.9	-	-	11,770	19.2
2013	144	17.6	-	-	9,899	17.1
2015	96	11.4	1,515	15.4	8,164	14.7
2017	74	8.9	1,132	12.0	7,141	13.5
2019	63	8.5	824	8.8	5,265	10.0
Sex						
Female	29	7.4	376	8.2	2,181	8.7
Male	33	9.7	434	9.2	2,987	11.1
Grade						
09th	12	6.0	188	7.9	1,227	9.0
10th	13	7.1	173	7.1	1,200	9.0
11th	20	10.1	258	11.5	1,362	10.7
12th	17	11.1	198	8.8	1,343	10.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription, how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;
 Numerator: d; denominator: abcd;
 Question number: 2019q100; 2017q99; 2015q99; 2013q98; 2011q99;


Category: Alcohol Use - Behaviors

Number and Percent of students who drove a car or other vehicle when they had been drinking alcohol (one or more times, among students who had driven a car or other vehicle) during the past 30 days



School
3.3%
18 of 524 students*

Region
4.2%
251 of 5,939 students+

NH
4.7%
1,586 of 33,581 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	35	6.1	-	-	2,989	8.4
2015	20	3.6	358	5.9	2,164	6.3
2017	32	5.2	251	4.5	1,948	5.8
2019	18	3.3	251	4.2	1,586	4.7
Sex						
Female	s	s	113	3.9	587	3.6
Male	12	4.5	139	4.6	945	5.5
Grade						
09th	s	s	5	1.0	112	4.3
10th	s	s	53	3.3	208	2.2
11th	6	3.2	60	3.4	528	5.0
12th	s	s	125	6.2	655	6.1



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

a: I did not drive a car or other vehicle during the past 30 days; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;




Question number: 2019q13; 2017q13; 2015q13; 2013q13; 2011q999;

Category: Alcohol Use - Behaviors
 Number and Percent of students who had their first drink of alcohol before age 13 years (other than a few sips)

School
 7.0%
 52 of 729 students*

Region
 8.6%
 805 of 9,409 students+

NH
 10.4%
 5,601 of 53,820 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	80	9.1	-	-	8,929	14.3
2013	60	7.4	-	-	6,984	11.9
2015	72	8.5	1,042	10.5	6,155	10.8
2017	94	11.3	981	10.2	5,826	10.7
2019	52	7.0	805	8.6	5,601	10.4
Sex						
Female	22	5.6	304	6.7	2,270	8.8
Male	27	7.9	487	10.1	3,218	11.7
Grade						
09th	13	6.6	216	9.0	1,807	13.0
10th	13	6.8	239	9.7	1,388	10.2
11th	16	8.2	193	8.7	1,267	9.8
12th	s	s	129	5.7	972	7.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




How the question was actually asked: How old were you when you had your first drink of alcohol other than a few sips?
 a: I have never had a drink of alcohol other than a few sips; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old;
 e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;
 Numerator: bcd; denominator: abcdefg;
 Question number: 2019q40; 2017q40; 2015q38; 2013q40; 2011q34;

Category: Alcohol Use - Behaviors
 Number and Percent of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day) during the past 30 days

School
 28.2%
 209 of 719 students*

Region
 25.0%
 2,301 of 9,197 students+

NH
 26.8%
 14,083 of 52,478 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	331	37.8	-	-	22,551	38.4
2013	253	31.0	-	-	18,043	32.9
2015	228	27.1	2,934	30.3	16,562	29.9
2017	234	28.2	2,726	28.9	15,841	29.6
2019	209	28.2	2,301	25.0	14,083	26.8
Sex						
Female	124	31.8	1,225	27.6	7,247	29.0
Male	79	23.3	1,046	22.2	6,644	24.7
Grade						
09th	36	18.5	356	15.1	2,125	15.4
10th	33	18.2	536	22.5	3,043	23.0
11th	62	31.9	612	28.5	3,835	30.4
12th	70	44.4	752	33.7	4,815	39.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have at least one drink of alcohol?
 a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;
 Numerator: bcdefg; denominator: abcdefg;
 Question number: 2019q41; 2017q41; 2015q39; 2013q41; 2011q35;




Category: Alcohol Use - Behaviors

Number and Percent of students who currently were binge drinking (had 4 or more drinks of alcohol in a row for female students or 5 or more drinks of alcohol in a row for male students, on at least 1 day) during the past 30 days

School
16.3%
 120 of 735 students*

Region
13.0%
 1,229 of 9,476 students+

NH
14.4%
 7,813 of 54,080 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	120	16.3	1,229	13.0	7,813	14.4
Sex						
Female	72	18.4	673	14.6	3,844	14.8
Male	45	13.4	539	11.2	3,819	13.8
Grade						
09th	21	10.7	163	6.8	938	6.6
10th	11	6.2	253	10.1	1,434	10.4
11th	39	19.9	328	14.7	2,185	16.8
12th	44	28.1	464	20.3	3,065	24.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?

a: 0 days; b: 1 day; c: 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 or more days;

Numerator: BCDEFG; denominator: ABCDEFG;




Question number: 2019q42; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Alcohol Use - Behaviors
 Number and Percent of students who usually got the alcohol they drank by someone giving it to them
 (among students who currently drank alcohol) during the past 30 days

School
 40.9%
 83 of 195 students*

Region
 35.4%
 782 of 2,208 students+

NH
 35.9%
 4,795 of 13,354 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	131	39.9	-	-	7,314	33.0
2013	113	45.1	-	-	7,145	40.3
2015	100	44.0	1,227	42.7	6,860	42.3
2017	105	45.0	1,120	42.1	6,178	40.1
2019	83	40.9	782	35.4	4,795	35.9
Sex						
Female	61	49.5	538	45.1	2,967	43.1
Male	23	29.7	238	24.2	1,776	28.3
Grade						
09th	13	37.9	87	25.6	643	32.0
10th	11	36.0	185	36.8	1,065	36.7
11th	27	42.6	225	37.5	1,277	35.4
12th	31	44.8	279	38.3	1,760	38.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how did you usually get the alcohol you drank?
 a: I did not drink alcohol during the past 30 days; b: I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station; c: I bought it at a restaurant, bar, or club; d: I bought it at a public event such as a concert or sporting event; e: I gave someone else money to buy it for me; f: Someone gave it to me; g: I took it from a store or family member; h: I got it some other way;
 Numerator: f; denominator: bcdefgh;
 Question number: 2019q43; 2017q43; 2015q41; 2013q44; 2011q37;

Category: Alcohol Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they have five or more drinks of alcohol once or twice a week (beer, wine, or liquor)

School	Region	NH
22.5%	29.4%	27.3%
167 of 729 students*	2,772 of 9,426 students+	14,401 of 52,781 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	321	39.4	-	-	21,369	36.5
2015	349	41.4	4,133	41.7	22,940	40.9
2017	283	34.0	3,581	37.5	19,448	36.5
2019	167	22.5	2,772	29.4	14,401	27.3
Sex						
Female	100	25.5	1,556	34.0	7,837	31.0
Male	65	19.2	1,209	25.2	6,420	23.9
Grade						
09th	43	22.0	652	27.3	3,300	24.1
10th	43	23.4	750	30.3	3,908	29.2
11th	50	25.3	662	29.6	3,689	29.1
12th	30	19.3	702	31.3	3,350	27.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;
 Numerator: d; denominator: abcd;
 Question number: 2019q88; 2017q85; 2015q84; 2013q82; 2011q999;

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine, or liquor)



School	Region	NH
69.1%	68.6%	65.4%
511 of 734 students*	6,465 of 9,419 students+	34,538 of 52,808 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	531	65.2	-	-	31,119	53.3
2015	569	67.6	5,750	57.9	31,928	57.1
2017	514	61.8	5,571	58.3	30,264	56.7
2019	511	69.1	6,465	68.6	34,538	65.4

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	293	75.2	3,520	77.0	18,238	72.0
Male	209	61.9	2,909	60.7	15,979	59.4

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	133	68.2	1,682	70.5	9,375	68.3
10th	130	70.6	1,679	67.9	8,868	66.5
11th	138	70.2	1,577	70.6	8,213	64.8
12th	106	68.1	1,489	66.3	7,747	62.4



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q91; 2017q89; 2015q88; 2013q86; 2011q999;

Category: Alcohol Use - Perceptions
 Number and Percent of students who approve or strongly approve of someone their age having one or two drinks of alcohol nearly every day (beer, wine, or liquor)

School	Region	NH
2.5%	2.8%	5.0%
18 of 733 students*	268 of 9,431 students+	2,658 of 52,809 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	42	5.1	-	-	4,225	7.3
2015	44	5.3	719	7.2	4,554	8.1
2017	33	4.0	506	5.3	3,341	6.3
2019	18	2.5	268	2.8	2,658	5.0
Sex						
Female	s	s	76	1.6	770	3.0
Male	12	3.4	179	3.7	1,828	6.8
Grade						
09th	8	4.1	56	2.3	633	4.6
10th	s	s	87	3.5	568	4.2
11th	s	s	55	2.5	631	5.0
12th	6	3.7	43	1.9	700	5.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How do you feel about someone your age having one or two drinks of alcohol (beer, wine, or liquor) nearly every day?

a: Strongly approve; b: Approve; c: Neither approve nor disapprove; d: Disapprove; e: Strongly disapprove;




Numerator: ab; denominator: abcde;

Question number: 2019q94; 2017q92; 2015q95; 2013q93; 2011q999;

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine or liquor)

School	Region	NH
93.0%	92.1%	90.9%
688 of 734 students*	8,679 of 9,427 students+	48,037 of 52,824 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	747	91.6	-	-	51,812	88.7
2015	791	93.9	9,017	90.5	50,109	89.3
2017	764	92.0	8,597	90.1	47,508	89.1
2019	688	93.0	8,679	92.1	48,037	90.9

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	375	96.2	4,311	94.0	23,548	93.0
Male	305	89.8	4,327	90.4	24,029	89.3

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	179	91.8	2,172	91.3	12,590	91.7
10th	177	95.7	2,359	94.8	12,356	92.5
11th	184	93.6	2,091	93.4	11,625	91.4
12th	141	91.1	1,987	88.6	10,990	88.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?


a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;



Question number: 2019q95; 2017q93; 2015q92; 2013q90; 2011q999;

Category: Alcohol Use - Perceptions
 Number and Percent of students who think it would be very easy for them to get some alcohol if they wanted to (beer, wine, or liquor)

School	Region	NH
30.1%	30.9%	31.6%
223 of 724 students*	2,909 of 9,404 students+	16,631 of 52,687 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	397	45.3	-	-	26,137	42.5
2013	297	36.5	-	-	24,146	41.5
2015	336	39.9	3,921	39.6	20,990	37.6
2017	364	43.8	3,667	38.9	20,593	38.9
2019	223	30.1	2,909	30.9	16,631	31.6
Sex						
Female	110	28.0	1,365	29.8	7,574	30.1
Male	108	32.3	1,507	31.7	8,818	32.7
Grade						
09th	48	24.4	558	23.5	3,358	24.6
10th	50	27.7	707	28.8	3,597	27.0
11th	56	28.4	753	33.6	4,456	35.1
12th	64	40.7	860	38.1	4,958	40.0



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get some alcohol (beer, wine, or liquor) how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;

Numerator: d; denominator: abcd;




Question number: 2019q98; 2017q97; 2015q97; 2013q95; 2011q97;

Category: Sexual and Dating Violence
 Number and Percent of students who were ever physically forced to have sexual intercourse when they did not want to

School
 5.4%
 40 of 738 students*

Region
 4.0%
 380 of 9,481 students+

NH
 6.7%
 3,618 of 53,715 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	44	5.0	-	-	3,809	6.1
2013	27	3.3	-	-	3,333	5.7
2015	45	5.4	681	6.8	3,610	6.3
2017	26	3.1	466	4.8	3,176	5.8
2019	40	5.4	380	4.0	3,618	6.7
Sex						
Female	33	8.5	275	6.0	2,697	10.6
Male	7	2.0	106	2.2	819	3.0
Grade						
09th	6	3.0	83	3.4	580	4.1
10th	s	s	94	3.8	726	5.3
11th	15	7.5	107	4.8	1,002	7.8
12th	14	8.9	80	3.5	1,185	9.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever been physically forced to have sexual intercourse when you did not want to?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q20; 2017q20; 2015q18; 2013q18; 2011q20;

Category: Sexual and Dating Violence
 Number and Percent of students who experienced sexual violence (being forced by anyone to do sexual things that they did not want to, one or more times) during the past 12 months

School
10.8%
 80 of 725 students*

Region
8.9%
 827 of 9,325 students+

NH
10.1%
 5,309 of 52,695 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	83	10.0	774	8.2	5,044	9.5
2019	80	10.8	827	8.9	5,309	10.1
Sex						
Female	66	17.1	713	15.9	4,156	16.7
Male	13	3.8	108	2.3	1,054	3.9
Grade						
09th	19	9.5	203	8.6	1,131	8.2
10th	19	10.1	205	8.3	1,279	9.6
11th	26	13.1	235	10.6	1,378	10.9
12th	16	10.5	169	7.6	1,395	11.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)
 a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;
 Numerator: bcde; denominator: abcde;
 Question number: 2019q21; 2017q21; 2015q999; 2013q999; 2011q999;

Category: Sexual and Dating Violence
 Number and Percent of students who experienced sexual dating violence (one or more times, among students who dated or went out with someone during the past 12 months)

School	Region	NH
10.3%	7.0%	7.8%
43 of 408 students*	383 of 5,482 students+	2,612 of 33,485 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	48	9.3	-	-	4,154	10.2
2015	56	10.5	784	12.4	4,324	11.7
2017	44	8.8	387	7.0	2,476	7.3
2019	43	10.3	383	7.0	2,612	7.8
Sex						
Female	36	18.2	349	12.7	2,007	12.3
Male	6	2.8	34	1.3	545	3.2
Grade						
09th	11	12.0	92	7.4	486	6.6
10th	9	8.5	72	5.5	598	7.3
11th	15	12.4	103	7.3	680	8.1
12th	8	8.8	108	7.4	764	8.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q22; 2017q22; 2015q19; 2013q20; 2011q999;

Category: Sexual and Dating Violence
 Number and Percent of students who experienced physical dating violence (one or more times, among students who dated or went out with someone) during the past 12 months

School	Region	NH
4.0%	4.5%	7.0%
17 of 423 students*	254 of 5,678 students+	2,443 of 35,022 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	29	5.7	-	-	3,018	7.4
2015	37	6.9	598	9.4	2,939	7.8
2017	30	5.9	378	6.5	2,778	7.9
2019	17	4.0	254	4.5	2,443	7.0
Sex						
Female	s	s	93	3.2	1,266	7.3
Male	12	5.4	152	5.5	1,092	6.3
Grade						
09th	s	s	50	3.9	457	5.9
10th	s	s	61	4.5	531	6.2
11th	s	s	54	3.8	661	7.5
12th	s	s	81	5.3	726	7.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)




a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;
 Numerator: cdef; denominator: bcdef;
 Question number: 2019q23; 2017q23; 2015q21; 2013q19; 2011q999;

Category: Sexual and Dating Violence
 Number and Percent of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (among students who dated or went out with someone) during the past 12 months

School
24.1%
 104 of 430 students*

Region
21.9%
 1,239 of 5,669 students+

NH
26.5%
 9,333 of 35,165 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	127	25.4	1,474	25.7	8,871	25.5
2019	104	24.1	1,239	21.9	9,333	26.5
Sex						
Female	65	31.0	795	27.8	5,842	33.7
Male	35	16.5	427	15.4	3,370	19.3
Grade						
09th	18	20.3	313	24.1	2,002	25.4
10th	24	21.2	326	24.4	2,352	27.3
11th	32	25.5	285	20.2	2,338	26.7
12th	26	27.1	301	19.0	2,516	26.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with purposely try to control you or emotionally hurt you? (Count such things as being told who you could and could not spend time with, being humiliated in front of others, or being threatened if you did not do what they wanted.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q24; 2017q24; 2015q999; 2013q999; 2011q999;

Category: Sexual and Dating Violence
 Number and Percent of students who have experienced an unwanted sexual advance because of another student's drinking (one or more times) during the past 12 months

School
5.4%
 40 of 738 students*

Region
4.1%
 385 of 9,505 students+

NH
4.9%
 2,614 of 53,604 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	49	6.0	-	-	3,982	6.8
2015	36	4.3	635	6.4	3,131	5.5
2017	-	-	-	-	-	-
2019	40	5.4	385	4.1	2,614	4.9
Sex						
Female	30	7.6	310	6.7	1,677	6.6
Male	7	2.0	58	1.2	863	3.1
Grade						
09th	s	s	42	1.7	337	2.4
10th	6	3.1	77	3.1	500	3.7
11th	17	8.7	112	5.0	726	5.6
12th	10	6.7	140	6.2	950	7.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times have you experienced an unwanted sexual advance because of another student's drinking?

a: I did not experience an unwanted sexual advance during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: abcdef;

Question number: 2019q25; 2017q999; 2015q20; 2013q21; 2011q999;

Category: Sexual and Dating Violence

Number and Percent of students who forced someone they were dating or going out with to do sexual things that they did not want to do (among students who dated or went out with someone) during the past 12 months

School

1.3%

6 of 426 students*

Region




1.5%

82 of 5,658 students+

NH

1.5%

536 of 34,706 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	8	1.7	137	2.4	769	2.2
2019	6	1.3	82	1.5	536	1.5
Sex						
Female	s	s	15	0.5	149	0.9
Male	s	s	67	2.4	356	2.1
Grade						
09th	s	s	36	2.8	142	1.8
10th	s	s	31	2.3	124	1.5
11th	s	s	6	0.4	108	1.3
12th	s	s	9	0.6	128	1.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever force someone you were dating or going out with to do sexual things that they did not want to do? (Count such things as kissing, touching, or physically forcing them to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: bc;




Question number: 2019q26; 2017q25; 2015q999; 2013q999; 2011q999;

Category: Sexual Risk - Behaviors
 Number and Percent of students who ever had sexual intercourse

School
 29.7%
 220 of 717 students*

Region
 34.2%
 3,137 of 9,186 students+

NH
 39.8%
 20,575 of 51,689 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	296	33.8	-	-	28,721	47.5
2013	266	32.7	-	-	24,390	42.8
2015	244	29.0	3,531	36.3	21,662	39.4
2017	258	31.1	3,009	32.4	20,201	38.9
2019	220	29.7	3,137	34.2	20,575	39.8
Sex						
Female	108	27.5	1,519	33.9	9,950	40.0
Male	108	32.5	1,574	33.9	10,329	39.4
Grade						
09th	20	10.4	468	19.9	2,693	20.0
10th	41	22.2	629	26.3	4,208	32.2
11th	80	40.5	838	38.8	5,860	47.2
12th	72	46.2	1,160	52.2	7,510	61.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever had sexual intercourse?

a: Yes; b: No;

Numerator: a; denominator: ab;




Question number: 2019q54; 2017q54; 2015q54; 2013q57; 2011q55;

Category: Sexual Risk - Behaviors
 Number and Percent of students who had sexual intercourse for the first time before age 13 years

School
1.8%
 13 of 714 students*

Region
2.1%
 195 of 9,189 students+

NH
2.3%
 1,185 of 52,412 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	26	2.9	-	-	2,719	4.5
2013	16	1.9	-	-	2,287	4.0
2015	15	1.8	257	2.6	1,552	2.8
2017	8	1.0	172	1.8	1,269	2.4
2019	13	1.8	195	2.1	1,185	2.3
Sex						
Female	s	s	39	0.9	399	1.6
Male	8	2.5	146	3.1	726	2.7
Grade						
09th	s	s	45	1.9	320	2.3
10th	s	s	50	2.1	271	2.0
11th	s	s	43	2.0	259	2.1
12th	0	0.0	43	1.9	252	2.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How old were you when you had sexual intercourse for the first time?
 a: I have never had sexual intercourse; b: 11 years old or younger; c: 12 years old; d: 13 years old; e: 14 years old; f: 15 years old; g: 16 years old; h: 17 years old or older;
 Numerator: bc; denominator: abcdefgh;
 Question number: 2019q55; 2017q55; 2015q55; 2013q58; 2011q56;

Category: Sexual Risk - Behaviors
Number and Percent of students who had sexual intercourse with four or more persons during their life

School 4.0% 29 of 716 students*	Region 4.2% 386 of 9,188 students+	NH 7.2% 3,759 of 52,315 students+
----------------------------------------------	-------------------------------------------------	------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	73	8.3	-	-	7,504	12.4
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	51	6.1	606	6.5	4,536	8.6
2019	29	4.0	386	4.2	3,759	7.2
Sex						
Female	12	3.0	147	3.3	1,711	6.8
Male	15	4.6	224	4.8	1,958	7.4
Grade						
09th	s	s	49	2.1	358	2.6
10th	s	s	40	1.7	495	3.7
11th	11	5.4	109	5.1	1,113	8.9
12th	9	6.1	170	7.6	1,692	13.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




How the question was actually asked: During your life, with how many people have you had sexual intercourse?
a: I have never had sexual intercourse; b: 1 person; c: 2 people; d: 3 people; e: 4 people; f: 5 people; g: 6 or more people;
Numerator: efg; denominator: abcdefg;
Question number: 2019q56; 2017q56; 2015q999; 2013q999; 2011q57;

Category: Sexual Risk - Behaviors
 Number and Percent of students who were currently sexually active (had sexual intercourse with at least one person) during the past 3 months

School
 21.4%
 158 of 709 students*

Region
 25.2%
 2,308 of 9,172 students+

NH
 29.7%
 15,500 of 52,191 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	231	26.3	-	-	22,448	37.1
2013	199	24.4	-	-	20,017	35.2
2015	196	23.3	2,807	28.9	17,380	31.3
2017	193	23.2	2,284	24.5	15,713	29.8
2019	158	21.4	2,308	25.2	15,500	29.7
Sex						
Female	82	20.8	1,162	25.9	7,820	31.1
Male	74	22.1	1,123	24.2	7,467	28.2
Grade						
09th	14	7.4	299	12.8	1,811	13.3
10th	23	12.1	452	18.7	3,116	23.6
11th	59	30.5	647	30.3	4,455	35.5
12th	56	35.9	880	39.8	5,891	47.8


Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.



How the question was actually asked: During the past 3 months, with how many people did you have sexual intercourse?
 a: I have never had sexual intercourse; b: I have had sexual intercourse, but not during the past 3 months; c: 1 person; d: 2 people; e: 3 people; f: 4 people; g: 5 people; h: 6 or more people;
 Numerator: cdefgh; denominator: abcdefgh;
 Question number: 2019q57; 2017q57; 2015q56; 2013q59; 2011q58;

Category: Sexual Risk - Behaviors
 Number and Percent of students who drank alcohol or used drugs before last sexual intercourse
 (among students who were currently sexually active)

School	Region	NH
NA	20.4%	19.6%
NA of 176 students*	471 of 2,308 students+	3,028 of 15,487 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	59	19.9	-	-	5,081	22.7
2013	51	19.1	-	-	4,140	20.7
2015	38	15.5	594	21.2	3,277	18.9
2017	40	15.4	480	21.2	2,927	18.7
2019	s	s	471	20.4	3,028	19.6
Sex						
Female	s	s	187	16.1	1,373	17.6
Male	s	s	280	24.9	1,581	21.2
Grade						
09th	0	0.0	63	21.2	356	19.7
10th	0	0.0	91	20.2	505	16.2
11th	s	s	99	15.3	892	20.1
12th	0	0.0	210	23.9	1,205	20.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




How the question was actually asked: Did you drink alcohol or use drugs before you had sexual intercourse the last time?
 a: I have never had sexual intercourse; b: Yes; c: No;
 Numerator: b; denominator: bc;
 Question number: 2019q58; 2017q58; 2015q57; 2013q60; 2011q59;

Category: Sexual Risk - Behaviors
 Number and Percent of students who used a condom during last sexual intercourse (among students who were currently sexually active)

School
67.2%
 147 of 209 students*

Region
56.9%
 1,296 of 2,278 students+

NH
55.3%
 8,450 of 15,284 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	184	62.9	-	-	13,490	60.8
2013	187	70.8	-	-	10,905	55.2
2015	152	62.1	1,667	59.9	10,377	60.2
2017	164	63.2	1,309	58.4	9,290	59.5
2019	147	67.2	1,296	56.9	8,450	55.3
Sex						
Female	67	61.5	625	54.3	3,974	51.4
Male	80	74.4	666	60.1	4,382	59.5
Grade						
09th	10	50.0	176	59.8	1,058	60.4
10th	35	82.9	292	65.9	1,848	60.1
11th	45	57.6	338	53.1	2,481	56.6
12th	55	75.4	478	54.3	2,956	50.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: The last time you had sexual intercourse, did you or your partner use a condom?

a: I have never had sexual intercourse; b: Yes; c: No;

Numerator: b; denominator: bc;


Question number: 2019q59; 2017q59; 2015q58; 2013q61; 2011q60;

Category: Sexual Risk - Behaviors
 Number and Percent of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)



School
 34.3%
 74 of 206 students*

Region
 38.6%
 848 of 2,197 students+

NH
 33.2%
 4,932 of 14,873 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	81	27.9	-	-	6,889	32.4
2013	89	34.2	-	-	6,555	34.4
2015	84	34.8	787	29.3	5,404	32.7
2017	71	27.8	680	31.1	4,591	30.4
2019	74	34.3	848	38.6	4,932	33.2
Sex						
Female	39	36.3	559	48.6	2,924	38.6
Male	33	31.5	283	27.4	1,955	27.5
Grade						
09th	s	s	102	38.4	423	25.2
10th	12	28.6	137	32.6	913	30.4
11th	31	40.0	223	35.4	1,387	32.5
12th	26	36.1	380	44.2	2,177	38.1



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

a: I have never had sexual intercourse; b: No method was used to prevent pregnancy; c: Birth control pills; d: Condoms; e: An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); f: A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing); g: Withdrawal or some other method; h: Not sure;

Numerator: c; denominator: bcdefgh;




Question number: 2019q60; 2017q60; 2015q59; 2013q62; 2011q61;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who purposely hurt themselves without wanting to die (one or more times) during the past 12 months

School
 21.3%
 158 of 738 students*

Region
 18.5%
 1,764 of 9,540 students+

NH
 19.8%
 10,818 of 54,541 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	113	13.8	-	-	10,580	17.9
2015	146	17.3	1,820	18.2	10,565	18.5
2017	154	18.6	1,664	17.2	9,412	17.1
2019	158	21.3	1,764	18.5	10,818	19.8
Sex						
Female	109	27.9	1,142	24.8	7,096	27.3
Male	47	13.9	594	12.2	3,515	12.6
Grade						
09th	43	22.4	469	19.3	3,049	21.5
10th	30	16.1	522	20.9	2,790	20.2
11th	49	24.9	458	20.4	2,628	20.0
12th	32	20.7	286	12.5	2,147	16.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 2019q29; 2017q28; 2015q25; 2013q24; 2011q999;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who ever felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities) during the past 12 months

School
34.4%
 254 of 733 students*

Region
31.6%
 3,013 of 9,533 students+

NH
33.6%
 18,316 of 54,496 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	175	19.9	-	-	15,692	25.2
2013	186	22.8	-	-	14,996	25.4
2015	192	22.8	2,757	27.6	15,578	27.2
2017	252	30.3	2,878	29.7	15,457	28.0
2019	254	34.4	3,013	31.6	18,316	33.6
Sex						
Female	159	40.7	1,854	40.1	11,406	43.9
Male	90	26.5	1,142	23.6	6,641	23.8
Grade						
09th	58	29.6	709	29.2	4,281	30.2
10th	53	28.9	723	28.9	4,765	34.5
11th	71	36.0	826	36.9	4,680	35.7
12th	70	45.2	727	31.9	4,319	33.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

a: Yes; b: No;

Numerator: a; denominator: ab;




Question number: 2019q30; 2017q29; 2015q26; 2013q25; 2011q23;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who ever seriously considered attempting suicide during the past 12 months

School
18.5%
 137 of 733 students*

Region
16.6%
 1,579 of 9,485 students+

NH
18.4%
 9,872 of 53,524 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	82	9.3	-	-	8,892	14.3
2013	97	11.9	-	-	8,430	14.4
2015	118	14.1	1,624	16.3	8,666	15.3
2017	128	15.5	1,567	16.2	8,748	16.1
2019	137	18.5	1,579	16.6	9,872	18.4
Sex						
Female	81	20.7	885	19.2	5,735	22.5
Male	52	15.3	677	14.0	3,944	14.4
Grade						
09th	41	21.3	370	15.4	2,652	19.1
10th	28	14.9	409	16.3	2,514	18.5
11th	41	21.1	420	18.8	2,456	19.1
12th	25	16.4	351	15.5	2,070	16.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever seriously consider attempting suicide?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q31; 2017q30; 2015q27; 2013q26; 2011q24;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who made a plan about how they would attempt suicide during the past 12 months

School
11.7%
 87 of 731 students*

Region
13.3%
 1,266 of 9,486 students+

NH
13.3%
 7,237 of 54,318 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	74	8.4	-	-	6,856	11.0
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	87	11.7	1,266	13.3	7,237	13.3
Sex						
Female	50	12.8	709	15.4	4,316	16.7
Male	35	10.2	539	11.2	2,771	10.0
Grade						
09th	24	12.5	298	12.3	1,902	13.5
10th	21	11.2	392	15.7	1,952	14.2
11th	22	11.1	290	13.0	1,759	13.5
12th	18	11.9	256	11.3	1,471	11.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you make a plan about how you would attempt suicide?
 a: Yes; b: No;
 Numerator: a; denominator: ab;
 Question number: 2019q32; 2017q999; 2015q999; 2013q999; 2011q25;

Category: Suicide, Sadness and Helplessness
Number and Percent of students who attempted suicide (one or more times) during the past 12 months

School 4.9% 36 of 700 students*	Region 5.6% 489 of 8,785 students+	NH 7.0% 3,489 of 50,096 students+
----------------------------------------------	-------------------------------------------------	------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	38	4.3	-	-	3,632	6.1
2013	32	3.9	-	-	3,776	6.7
2015	43	5.1	684	7.1	3,655	6.8
2017	44	5.3	462	5.2	2,983	5.9
2019	36	4.9	489	5.6	3,489	7.0
Sex						
Female	20	5.2	283	6.5	2,054	8.4
Male	14	4.3	195	4.5	1,333	5.3
Grade						
09th	12	6.1	163	7.2	964	7.3
10th	7	3.9	109	4.9	923	7.3
11th	12	6.2	120	5.7	858	7.1
12th	s	s	88	4.1	648	5.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: During the past 12 months, how many times did you actually attempt suicide?
a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;
Numerator: bcde; denominator: abcde;
Question number: 2019q33; 2017q31; 2015q28; 2013q27; 2011q26;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months



School
 0.8%
 6 of 692 students*

Region
 1.3%
 109 of 8,726 students+

NH
 2.0%
 977 of 49,067 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	8	1.0	-	-	1,416	2.4
2013	9	1.1	-	-	1,408	2.5
2015	14	1.7	266	2.8	1,336	2.5
2017	11	1.4	159	1.8	991	2.0
2019	6	0.8	109	1.3	977	2.0
Sex						
Female	s	s	73	1.7	604	2.5
Male	s	s	25	0.6	328	1.3
Grade						
09th	s	s	45	2.0	253	2.0
10th	0	0.0	37	1.6	244	2.0
11th	s	s	17	0.8	228	1.9
12th	s	s	10	0.5	192	1.7



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

a: I did not attempt suicide during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: abc;


Question number: 2019q34; 2017q32; 2015q29; 2013q28; 2011q27;

Category: Tobacco Use - Behaviors
Number and Percent of students who currently smoked cigarettes (on at least 1 day) during the past 30 days

School
5.1%
 38 of 732 students*

Region
3.5%
 328 of 9,477 students+

NH
5.5%
 3,001 of 54,424 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	137	15.6	-	-	12,385	19.8
2013	73	8.9	-	-	8,036	13.8
2015	54	6.4	840	8.6	5,230	9.3
2017	54	6.5	676	7.0	4,279	7.8
2019	38	5.1	328	3.5	3,001	5.5
Sex						
Female	16	4.1	116	2.5	1,063	4.1
Male	20	5.8	193	4.0	1,834	6.6
Grade						
09th	s	s	71	3.0	513	3.6
10th	s	s	52	2.1	517	3.7
11th	16	8.1	67	3.0	750	5.7
12th	13	8.2	125	5.5	1,069	8.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




How the question was actually asked: During the past 30 days, on how many days did you smoke cigarettes?
 a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;
 Numerator: bcdefg; denominator: abcdefg;
 Question number: 2019q35; 2017q34; 2015q31; 2013q30; 2011q30;

Category: Tobacco Use - Behaviors
 Number and Percent of students who smoked more than 10 cigarettes per day (among students who currently smoked cigarettes) during the past 30 days

School
 NA
 NA of 38 students*

Region
 13.2%
 43 of 328 students+

NH
 16.1%
 482 of 2,987 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	7	9.4	-	-	1,088	13.7
2015	9	18.2	129	15.6	739	14.2
2017	s	s	77	11.4	503	11.8
2019	s	s	43	13.2	482	16.1
Sex						
Female	s	s	8	6.7	102	9.6
Male	s	s	36	18.5	331	18.1
Grade						
09th	s	s	17	24.2	82	16.2
10th	0	0.0	17	32.4	99	19.2
11th	0	0.0	10	14.2	111	14.9
12th	0	0.0	0	0.0	116	10.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

a: I did not smoke cigarettes during the past 30 days; b: Less than 1 cigarette per day; c: 1 cigarette per day; d: 2 to 5 cigarettes per day; e: 6 to 10 cigarettes per day; f: 11 to 20 cigarettes per day; g: More than 20 cigarettes per day;
 Numerator: fg; denominator: bcdefg;




Question number: 2019q36; 2017q35; 2015q32; 2013q31; 2011q999;

Category: Tobacco Use - Behaviors
 Number and Percent of students who ever used an electronic vapor product

School
 43.7%
 324 of 738 students*

Region
 47.1%
 4,465 of 9,487 students+

NH
 49.8%
 27,093 of 54,365 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	323	38.9	3,602	38.8	22,080	41.1
2019	324	43.7	4,465	47.1	27,093	49.8
Sex						
Female	173	44.4	2,258	49.1	13,491	51.9
Male	145	42.9	2,164	44.8	13,270	47.8
Grade						
09th	51	26.5	917	38.2	5,144	36.4
10th	64	34.4	1,087	43.5	6,591	47.8
11th	109	55.2	1,208	54.2	7,175	54.9
12th	91	59.7	1,187	52.1	7,754	60.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever used an electronic vapor product?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2019q37; 2017q36; 2015q999; 2013q999; 2011q999;

Category: Tobacco Use - Behaviors
Number and Percent of students who currently used an electronic vapor product (on at least 1 day) during the past 30 days



School
32.4%
 240 of 725 students*

Region
30.4%
 2,814 of 9,256 students+

NH
33.8%
 17,928 of 53,009 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	143	17.0	2,944	29.5	14,336	25.0
2017	231	27.8	1,903	21.3	12,319	23.8
2019	240	32.4	2,814	30.4	17,928	33.8
Sex						
Female	127	32.7	1,444	32.4	8,778	34.7
Male	107	31.5	1,338	28.2	8,866	32.7
Grade						
09th	36	18.6	568	24.0	3,234	23.4
10th	42	22.6	723	30.0	4,330	32.2
11th	80	40.6	768	35.4	4,733	37.4
12th	76	49.2	715	32.0	5,299	42.7



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you use an electronic vapor product?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;


Numerator: bcdefg; denominator: abcdefg;

Question number: 2019q38; 2017q37; 2015q37; 2013q999; 2011q999;



Category: Tobacco Use - Behaviors

Number and Percent of students who usually got their own electronic vapor products by buying them in a store (among students who currently used electronic vapor products and who were aged less than 18 years) during the past 30 days

<p>School 16.5% 31 of 180 students*</p>	<p>Region 14.0% 324 of 2,316 students+</p>	<p>NH 10.6% 1,529 of 14,361 students+</p>
--------------------------------------------------------	-----------------------------------------------------------	----------------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	24	13.2	234	16.1	997	10.3
2019	31	16.5	324	14.0	1,529	10.6
Sex						
Female	12	11.8	138	10.8	568	7.8
Male	19	22.5	187	18.1	953	13.7
Grade						
09th	s	s	53	9.4	136	4.3
10th	s	s	66	9.5	340	8.0
11th	19	23.5	131	17.6	676	14.9
12th	6	20.8	75	25.5	356	15.9



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




How the question was actually asked: During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)
 a: I did not use any electronic vapor products during the past 30 days; b: I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store; c: I got them on the Internet; d: I gave someone else money to buy them for me; e: I borrowed them from someone else; f: A person who can legally buy these products gave them to me; g: I took them from a store or another person; h: I got them some other way.;
 Numerator: b; denominator: bcdefgh;
 Question number: 2019q39; 2017q38; 2015q999; 2013q999; 2011q999;

Category: Vehicle and Bicycle Safety
 Number and Percent of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle) during the past 12 months

School
 37.2%
 202 of 539 students*

Region
 56.2%
 3,461 of 6,157 students+

NH
 54.4%
 19,121 of 35,165 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	253	36.7	-	-	25,783	63.2
2013	197	32.2	-	-	22,801	60.0
2015	230	36.5	3,646	56.6	21,208	56.3
2017	231	37.9	3,905	61.1	20,616	57.4
2019	202	37.2	3,461	56.2	19,121	54.4
Sex						
Female	104	38.6	1,425	53.1	7,328	49.6
Male	93	35.4	1,999	58.4	11,561	57.8
Grade						
09th	50	31.0	1,011	55.8	5,412	51.3
10th	55	35.8	990	55.1	5,248	53.8
11th	63	47.8	778	58.0	4,260	54.7
12th	30	33.8	650	55.5	3,925	59.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: When you rode a bicycle during the past 12 months, how often did you wear a helmet?
 a: I did not ride a bicycle during the past 12 months; b: Never wore a helmet; c: Rarely wore a helmet; d: Sometimes wore a helmet; e: Most of the time wore a helmet; f: Always wore a helmet;
 Numerator: bc; denominator: bcdef;
 Question number: 2019q9; 2017q9; 2015q9; 2013q9; 2011q9;




Category: Vehicle and Bicycle Safety
 Number and Percent of students who rarely or never wore a seat belt (when riding in a car driven by someone else)



School
 1.9%
 14 of 739 students*

Region
 4.3%
 406 of 9,548 students+

NH
 5.6%
 3,043 of 54,073 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	49	5.6	-	-	6,702	10.7
2013	28	3.4	-	-	5,716	9.7
2015	23	2.7	829	8.3	4,619	8.2
2017	31	3.7	637	6.6	3,766	6.9
2019	14	1.9	406	4.3	3,043	5.6
Sex						
Female	8	2.0	144	3.1	1,135	4.4
Male	6	1.7	248	5.1	1,813	6.5
Grade						
09th	0	0.0	73	3.0	693	4.9
10th	0	0.0	88	3.5	570	4.2
11th	6	2.9	64	2.8	654	5.0
12th	7	4.4	165	7.2	966	7.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How often do you wear a seat belt when riding in a car driven by someone else?


a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: ab; denominator: abcde;



Question number: 2019q10; 2017q11; 2015q11; 2013q11; 2011q10;

Category: Vehicle and Bicycle Safety
Number and Percent of students who rarely or never wear a seat belt when driving (among students who drive a car)

School	Region	NH
2.5%	3.5%	4.8%
14 of 547 students*	231 of 6,524 students+	1,756 of 36,362 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	18	2.8	-	-	3,475	8.3
2015	23	3.7	543	7.4	3,156	7.7
2017	20	3.1	379	5.5	2,484	6.3
2019	14	2.5	231	3.5	1,756	4.8
Sex						
Female	s	s	72	2.3	574	3.3
Male	9	3.5	149	4.4	1,097	5.9
Grade						
09th	s	s	32	6.1	218	7.8
10th	0	0.0	12	0.7	153	1.5
11th	s	s	51	2.6	481	4.2
12th	8	5.4	128	5.9	790	6.8



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How often do you wear a seat belt when driving a car?

a: I do not drive a car; b: Never; c: Rarely; d: Sometimes; e: Most of the time; f: Always;

Numerator: bc; denominator: bcdef;


Question number: 2019q11; 2017q10; 2015q10; 2013q10; 2011q999;

Category: Vehicle and Bicycle Safety
 Number and Percent of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times) during the past 30 days



School
 13.2%
 98 of 734 students*

Region
 13.8%
 1,312 of 9,505 students+

NH
 14.9%
 8,120 of 54,645 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	186	21.2	-	-	14,156	22.7
2013	124	15.2	-	-	10,249	17.4
2015	130	15.5	1,646	16.4	9,082	15.8
2017	137	16.5	1,381	14.3	7,966	14.4
2019	98	13.2	1,312	13.8	8,120	14.9
Sex						
Female	51	13.0	708	15.3	4,255	16.3
Male	45	13.2	599	12.4	3,727	13.3
Grade						
09th	21	10.7	363	15.1	2,200	15.5
10th	26	14.2	312	12.5	2,039	14.7
11th	31	15.7	318	14.1	1,931	14.7
12th	15	9.7	292	12.8	1,750	13.7



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;




Numerator: bcde; denominator: abcde;

Question number: 2019q12; 2017q12; 2015q12; 2013q12; 2011q11;

Category: Vehicle and Bicycle Safety

Number and Percent of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the past 30 days, among students who had driven a car or other vehicle) during the past 30 days

School 43.3% 234 of 529 students*	Region 44.9% 2,686 of 5,980 students+	NH 44.2% 15,012 of 33,935 students+
------------------------------------------------	----------------------------------------------------	--------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	287	49.9	-	-	17,162	47.7
2015	258	45.4	2,750	44.7	15,126	43.7
2017	287	47.3	2,356	41.8	14,079	41.7
2019	234	43.3	2,686	44.9	15,012	44.2
Sex						
Female	129	46.6	1,430	49.1	7,566	46.4
Male	101	39.4	1,229	40.6	7,256	42.0
Grade						
09th	6	12.5	38	8.0	319	11.8
10th	31	19.4	394	24.3	2,010	21.5
11th	103	57.1	1,028	56.8	5,723	54.0
12th	91	61.9	1,196	59.0	6,712	61.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

a: I did not drive a car or other vehicle during the past 30 days; b: 0 days; c: 1 or 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 to 29 days; h: All 30 days;

Numerator: cdefgh; denominator: bcdefgh;




Question number: 2019q14; 2017q14; 2015q14; 2013q14; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who were trying to lose weight

School
41.0%
 303 of 723 students*

Region
42.9%
 4,059 of 9,460 students+

NH
43.9%
 23,739 of 54,053 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	311	38.2	-	-	26,829	45.7
2015	322	38.3	4,446	44.7	25,143	44.1
2017	-	-	-	-	-	-
2019	303	41.0	4,059	42.9	23,739	43.9
Sex						
Female	224	57.5	2,615	56.9	14,933	57.7
Male	72	21.5	1,420	29.5	8,544	30.9
Grade						
09th	78	40.1	970	40.4	5,974	42.4
10th	72	39.5	1,080	43.3	5,950	43.4
11th	81	41.1	964	43.6	5,602	43.2
12th	69	44.0	1,005	44.1	5,925	46.8

Notes
 *: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: Which of the following are you trying to do about your weight?
 a: Lose weight; b: Gain weight; c: Stay the same weight; d: I am not trying to do anything about my weight;
 Numerator: a; denominator: abcd;
 Question number: 2019q63; 2017q999; 2015q60; 2013q65; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting) during the past 30 days



School
 12.0%
 89 of 730 students*

Region
 12.5%
 1,189 of 9,478 students+

NH
 14.6%
 7,794 of 53,356 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	89	12.0	1,189	12.5	7,794	14.6
Sex						
Female	64	16.3	866	18.8	5,406	21.2
Male	22	6.5	305	6.3	2,244	8.2
Grade						
09th	27	13.7	332	13.8	2,116	15.2
10th	15	8.0	274	10.9	1,910	14.1
11th	27	13.8	258	11.6	1,893	14.8
12th	18	11.9	291	12.8	1,692	13.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q64; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who took some diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

School
 3.0%
 22 of 731 students*

Region
 3.1%
 294 of 9,458 students+

NH
 3.7%
 1,974 of 53,290 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	22	3.0	294	3.1	1,974	3.7
Sex						
Female	15	3.8	154	3.4	1,172	4.6
Male	s	s	111	2.3	728	2.7
Grade						
09th	s	s	48	2.0	395	2.8
10th	0	0.0	62	2.5	439	3.3
11th	9	4.8	80	3.6	475	3.7
12th	6	3.7	74	3.3	557	4.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q65; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

School
 4.9%
 36 of 727 students*

Region
 4.8%
 457 of 9,457 students+

NH
 4.8%
 2,585 of 53,338 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	36	4.9	457	4.8	2,585	4.8
Sex						
Female	31	8.0	351	7.7	1,949	7.6
Male	s	s	102	2.1	584	2.1
Grade						
09th	8	4.2	77	3.2	558	4.0
10th	s	s	92	3.7	576	4.3
11th	16	8.3	137	6.2	702	5.5
12th	8	5.2	143	6.3	656	5.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?


a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q66; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop) during the past 7 days

School 48.0% 355 of 732 students*	Region 38.6% 3,655 of 9,468 students+	NH 37.4% 19,973 of 53,384 students+
------------------------------------------------	----------------------------------------------------	--------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	375	44.6	3,719	37.4	21,164	37.0
2017	331	39.9	3,752	38.7	20,526	37.4
2019	355	48.0	3,655	38.6	19,973	37.4
Sex						
Female	240	61.5	2,117	45.9	11,782	46.0
Male	110	32.4	1,506	31.3	7,991	29.4
Grade						
09th	101	52.4	1,018	42.2	5,469	39.2
10th	88	46.9	974	39.0	5,095	37.7
11th	92	47.3	764	34.4	4,570	35.7
12th	70	45.2	871	38.6	4,635	37.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

a: I did not drink soda or pop during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 2019q67; 2017q67; 2015q62; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
Number and Percent of students who did not drink a bottle or glass of plain water during the past 7 days

School
0.8%
 6 of 735 students*

Region
2.1%
 199 of 9,503 students+

NH
2.6%
 1,385 of 54,255 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	10	1.1	251	2.6	1,705	3.1
2019	6	0.8	199	2.1	1,385	2.6
Sex						
Female	0	0.0	45	1.0	459	1.8
Male	s	s	147	3.0	864	3.1
Grade						
09th	0	0.0	75	3.1	406	2.9
10th	s	s	43	1.7	337	2.4
11th	s	s	26	1.1	262	2.0
12th	0	0.0	41	1.8	282	2.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a bottle or glass of plain water? (Count tap, bottled, and unflavored sparkling water.)

a: I did not drink water during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;




Question number: 2019q68; 2017q68; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as sports drinks, energy drinks, lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight, not counting soda or pop, one or more times per day) during the past 7 days

School
14.8%
 109 of 734 students*

Region
17.6%
 1,675 of 9,505 students+

NH
18.0%
 9,638 of 53,461 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	205	23.4	-	-	14,238	22.9
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	120	14.4	1,850	19.2	10,128	18.6
2019	109	14.8	1,675	17.6	9,638	18.0
Sex						
Female	57	14.7	702	15.2	3,811	14.9
Male	49	14.6	963	19.9	5,693	20.9
Grade						
09th	25	13.0	378	15.7	2,375	17.1
10th	29	15.5	478	19.1	2,345	17.3
11th	33	17.0	397	17.7	2,392	18.7
12th	22	14.1	415	18.2	2,358	18.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as sports drinks (for example, Gatorade or PowerAde), energy drinks (for example, Red Bull or Jolt), lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight? (Do not count soda or pop.)

a: I did not drink these sugarsweetened beverages during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;
 Numerator: defg; denominator: abcdefg;

Question number: 2019q69; 2017q66; 2015q999; 2013q999; 2011q69;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who did not eat breakfast during the past 7 days

School 11.9% 88 of 731 students*	Region 12.2% 1,158 of 9,483 students+	NH 14.1% 7,615 of 54,157 students+
-----------------------------------------------	----------------------------------------------------	-------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	88	11.9	1,158	12.2	7,615	14.1
Sex						
Female	47	12.1	567	12.3	3,580	13.8
Male	37	11.0	566	11.8	3,888	14.1
Grade						
09th	24	12.5	317	13.2	1,985	14.1
10th	23	12.6	294	11.7	1,873	13.7
11th	20	9.9	260	11.6	1,793	13.8
12th	17	11.1	249	11.0	1,774	14.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




How the question was actually asked: During the past 7 days, on how many days did you eat breakfast?
 a: 0 days; b: 1 day; c: 2 days; d: 3 days; e: 4 days; f: 5 days; g: 6 days; h: 7 days;
 Numerator: A; denominator: ABCDEFGH;
 Question number: 2019q70; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who were physically active at least 60 minutes per day on 5 or more days during the past 7 days

School
 57.7%
 427 of 727 students*

Region
 44.3%
 4,192 of 9,463 students+

NH
 47.1%
 25,420 of 53,944 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	468	57.4	-	-	27,560	47.0
2015	492	58.5	4,331	43.5	26,779	46.9
2017	493	59.3	4,398	45.7	25,806	47.2
2019	427	57.7	4,192	44.3	25,420	47.1

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	198	50.9	1,769	38.6	10,398	40.3
Male	225	66.4	2,390	49.6	14,710	53.4

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	115	59.6	1,233	51.9	7,262	51.8
10th	117	63.5	1,163	46.5	6,460	47.3
11th	110	55.6	901	40.4	5,759	44.5
12th	81	51.9	865	37.9	5,609	44.3

Notes
 *: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

a: 0 days; b: 1 day; c: 2 days; d: 3 days; e: 4 days; f: 5 days; g: 6 days; h: 7 days;

Numerator: fgh; denominator: abcdefgh;

Question number: 2019q71; 2017q69; 2015q63; 2013q69; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
 Number and Percent of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)

 <p>School 64.2% 475 of 726 students*</p>	<p>Region 12.6% 1,191 of 9,477 students+</p>	<p>NH 11.1% 5,961 of 53,466 students+</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------	---------------------------------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	488	58.7	1,271	13.2	5,918	11.0
2019	475	64.2	1,191	12.6	5,961	11.1
Sex						
Female	244	62.9	569	12.3	2,744	10.7
Male	224	65.9	611	12.7	3,145	11.5
Grade						
09th	92	47.3	379	15.7	1,890	13.5
10th	136	74.1	278	11.2	1,581	11.7
11th	136	68.8	320	14.5	1,232	9.6
12th	108	68.9	205	9.0	1,176	9.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: Do any of your classroom teachers provide short physical activity breaks during regular class time? (Do not count your physical education teacher.)
 a: Yes; b: No;
 Numerator: a; denominator: ab;
 Question number: 2019q72; 2017q70; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors
Number and Percent of students who played video or computer games or used a computer 3 or more hours per day on an average school day



School
44.8%
 331 of 731 students*

Region
52.9%
 5,007 of 9,458 students+

NH
49.2%
 26,594 of 54,079 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	268	31.8	4,159	41.8	21,868	38.9
2017	329	39.6	4,692	48.8	25,757	47.8
2019	331	44.8	5,007	52.9	26,594	49.2
Sex						
Female	174	44.7	2,416	52.4	12,363	47.8
Male	150	44.4	2,568	53.6	13,862	50.2
Grade						
09th	82	42.5	1,158	48.3	7,313	51.8
10th	90	48.4	1,356	54.4	6,813	49.7
11th	81	40.9	1,153	51.6	6,080	47.0
12th	74	47.4	1,295	57.3	6,052	47.8



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent playing games, watching videos, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet.)

a: I do not play video or computer games or use a computer for something that is not school work; b: Less than 1 hour per day; c: 1 hour per day; d: 2 hours per day; e: 3 hours per day; f: 4 hours per day; g: 5 or more hours per day;

Numerator: efg; denominator: abcdefg;

Question number: 2019q73; 2017q72; 2015q65; 2013q999; 2011q999;

Category: Bullying, Electronic Bullying and Fighting
Number and Percent of students who carried a weapon (such as a gun, knife, or club, on at least 1 day) during the past 30 days

School
12.0%
 89 of 739 students*

Region
12.6%
 1,205 of 9,537 students+

NH
14.4%
 7,760 of 53,823 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	105	11.9	-	-	9,097	14.5
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	134	16.1	1,495	15.5	8,696	16.0
2019	89	12.0	1,205	12.6	7,760	14.4
Sex						
Female	17	4.4	220	4.8	1,615	6.3
Male	71	20.9	968	19.9	6,016	21.9
Grade						
09th	25	12.9	311	12.8	1,904	13.6
10th	22	11.7	341	13.7	2,046	15.0
11th	29	14.5	290	12.9	1,928	14.9
12th	10	6.7	235	10.3	1,699	13.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;
 Numerator: bcde; denominator: abcde;
 Question number: 2019q15; 2017q15; 2015q999; 2013q999; 2011q13;

Category: Bullying, Electronic Bullying and Fighting
Number and Percent of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day) during the past 30 days

School	Region	NH
1.7%	2.1%	2.8%
13 of 739 students*	202 of 9,549 students+	1,543 of 54,614 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	24	2.8	313	3.2	2,000	3.6
2019	13	1.7	202	2.1	1,543	2.8
Sex						
Female	s	s	47	1.0	370	1.4
Male	8	2.4	151	3.1	1,125	4.0
Grade						
09th	s	s	27	1.1	294	2.1
10th	s	s	38	1.5	336	2.4
11th	s	s	52	2.3	399	3.1
12th	0	0.0	70	3.0	421	3.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?


a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;
 Numerator: bcde; denominator: abcde;
 Question number: 2019q16; 2017q16; 2015q999; 2013q999; 2011q999;

Category: Bullying, Electronic Bullying and Fighting
Number and Percent of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day) during the past 30 days



School
3.4%
 25 of 740 students*

Region
5.3%
 511 of 9,566 students+

NH
6.9%
 3,758 of 54,807 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	16	1.8	-	-	3,047	4.9
2013	22	2.7	-	-	3,351	5.7
2015	28	3.3	528	5.3	3,091	5.4
2017	30	3.6	440	4.5	2,863	5.2
2019	25	3.4	511	5.3	3,758	6.9
Sex						
Female	16	4.1	326	7.0	2,296	8.8
Male	8	2.4	157	3.2	1,348	4.8
Grade						
09th	8	4.1	93	3.8	948	6.6
10th	s	s	196	7.8	1,014	7.3
11th	6	2.9	114	5.0	953	7.3
12th	s	s	95	4.1	724	5.7



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;

Numerator: bcde; denominator: abcde;

Question number: 2019q17; 2017q17; 2015q15; 2013q15; 2011q14;

Category: Bullying, Electronic Bullying and Fighting
Number and Percent of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times) during the past 12 months

School	Region	NH
2.9%	4.9%	6.4%
22 of 740 students*	466 of 9,557 students+	3,516 of 54,747 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	41	5.0	541	5.6	3,704	6.7
2019	22	2.9	466	4.9	3,516	6.4
Sex						
Female	9	2.3	196	4.2	1,444	5.5
Male	9	2.7	242	5.0	1,964	7.0
Grade						
09th	6	2.9	140	5.8	1,159	8.1
10th	s	s	111	4.4	946	6.8
11th	7	3.5	131	5.8	762	5.8
12th	s	s	50	2.2	510	4.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or 7 times; f: 8 or 9 times; g: 10 or 11 times; h: 12 or more times;

Numerator: bcdefgh; denominator: abcdefgh;




Question number: 2019q18; 2017q18; 2015q999; 2013q999; 2011q999;

Category: Bullying, Electronic Bullying and Fighting
Number and Percent of students who were in a physical fight on school property (one or more times) during the past 12 months

School
6.5%
 48 of 740 students*

Region
5.8%
 558 of 9,555 students+

NH
7.9%
 4,262 of 53,996 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	68	7.8	-	-	6,134	9.9
2013	49	6.0	-	-	4,080	6.9
2015	52	6.2	685	6.8	3,671	6.4
2017	-	-	-	-	-	-
2019	48	6.5	558	5.8	4,262	7.9
Sex						
Female	11	2.9	111	2.4	1,061	4.1
Male	35	10.5	435	8.9	3,086	11.2
Grade						
09th	16	8.2	189	7.8	1,530	10.9
10th	10	5.5	152	6.1	1,155	8.4
11th	15	7.5	79	3.5	833	6.4
12th	s	s	112	4.9	578	4.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times were you in a physical fight on school property?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or 7 times; f: 8 or 9 times; g: 10 or 11 times; h: 12 or more times;

Numerator: bcdefgh; denominator: abcdefgh;




Question number: 2019q19; 2017q999; 2015q17; 2013q17; 2011q17;

Category: Bullying, Electronic Bullying and Fighting
Number and Percent of students who were ever bullied on school property during the past 12 months

School
20.0%
 148 of 737 students*

Region
18.2%
 1,733 of 9,512 students+

NH
23.0%
 12,351 of 53,726 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	182	20.7	-	-	15,856	25.3
2013	183	22.5	-	-	13,401	22.8
2015	162	19.3	2,183	21.8	12,489	22.1
2017	171	20.6	2,100	21.7	11,581	21.4
2019	148	20.0	1,733	18.2	12,351	23.0
Sex						
Female	90	23.2	978	21.2	7,088	27.6
Male	55	16.3	738	15.2	5,094	18.5
Grade						
09th	53	27.2	521	21.5	3,716	26.6
10th	38	20.4	484	19.5	3,452	25.3
11th	27	13.9	452	20.1	2,753	21.3
12th	26	17.0	248	10.9	2,206	17.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have you ever been bullied on school property?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q27; 2017q26; 2015q23; 2013q22; 2011q21;

Category: Bullying, Electronic Bullying and Fighting
 Number and Percent of students who were ever electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media) during the past 12 months

School
15.0%
 111 of 737 students*

Region
16.8%
 1,597 of 9,504 students+

NH
20.1%
 10,932 of 54,516 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	126	15.2	1,900	19.6	10,488	19.0
2019	111	15.0	1,597	16.8	10,932	20.1
Sex						
Female	76	19.4	981	21.3	6,982	26.8
Male	32	9.5	592	12.2	3,750	13.4
Grade						
09th	32	16.6	444	18.3	2,985	21.0
10th	27	14.8	379	15.3	3,080	22.3
11th	29	14.5	375	16.7	2,418	18.5
12th	19	12.6	356	15.6	2,211	17.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)
 a: Yes; b: No;
 Numerator: a; denominator: ab;
 Question number: 2019q28; 2017q27; 2015q999; 2013q999; 2011q999;

Category: Bullying, Electronic Bullying and Fighting
Number and Percent of students who had a concussion from playing a sport or being physically active (one or more times) during the past 12 months

School
13.8%
 102 of 734 students*

Region
14.3%
 1,357 of 9,485 students+

NH
14.7%
 8,002 of 54,265 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	120	14.5	1,375	14.3	7,906	14.4
2019	102	13.8	1,357	14.3	8,002	14.7
Sex						
Female	41	10.6	653	14.1	3,501	13.5
Male	60	17.6	697	14.5	4,353	15.7
Grade						
09th	25	13.0	339	14.1	2,110	14.9
10th	31	16.7	379	15.2	2,060	15.0
11th	28	14.0	347	15.6	1,978	15.2
12th	17	11.1	285	12.6	1,699	13.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

a: 0 times; b: 1 time; c: 2 times; d: 3 times; e: 4 or more times;

Numerator: bcde; denominator: abcde;

Question number: 2019q74; 2017q73; 2015q999; 2013q999; 2011q999;

Category: Other Health Risks
 Number and Percent of students who described their grades in school as mostly A's or B's during the past 12 months

School	Region	NH
84.8%	82.5%	77.0%
627 of 711 students*	7,597 of 9,207 students+	40,255 of 52,295 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	754	86.0	-	-	42,678	69.1
2013	707	86.7	-	-	43,137	73.4
2015	743	88.2	7,426	77.5	40,970	74.5
2017	737	88.7	7,307	79.4	40,716	77.6
2019	627	84.8	7,597	82.5	40,255	77.0

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	352	89.7	4,038	90.2	21,010	83.6
Male	272	79.8	3,540	75.4	19,051	70.9

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	177	89.8	1,797	77.5	9,981	73.9
10th	161	87.2	1,948	81.7	10,033	75.3
11th	158	79.2	1,833	84.0	9,801	77.6
12th	129	83.8	1,984	87.8	10,253	82.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: During the past 12 months, how would you describe your grades in school?
 a: Mostly A's; b: Mostly B's; c: Mostly C's; d: Mostly D's; e: Mostly F's; f: None of these grades; g: Not sure;
 Numerator: ab; denominator: abcdefg;
 Question number: 2019q8; 2017q8; 2015q8; 2013q8; 2011q8;

Category: Other Health Risks
 Number and Percent of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)

School
 4.4%
 32 of 731 students*

Region
 6.9%
 649 of 9,471 students+

NH
 8.3%
 4,495 of 54,204 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	32	4.4	649	6.9	4,495	8.3
Sex						
Female	18	4.7	348	7.6	2,330	9.0
Male	13	3.8	301	6.2	2,093	7.6
Grade						
09th	13	6.5	90	3.8	717	5.1
10th	s	s	120	4.8	790	5.8
11th	7	3.5	134	6.0	1,141	8.8
12th	8	5.2	290	12.7	1,725	13.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever been tested for HIV, the virus that causes AIDS? (Do not count tests done if you donated blood.)

a: Yes; b: No; c: Not sure;

Numerator: A; denominator: ABC;

Question number: 2019q75; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Other Health Risks
 Number and Percent of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea during the past 12 months

School	Region	NH
4.7%	8.3%	9.2%
34 of 735 students*	786 of 9,478 students+	4,988 of 53,980 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	34	4.7	786	8.3	4,988	9.2
Sex						
Female	24	6.2	530	11.6	3,206	12.4
Male	10	3.1	250	5.2	1,720	6.2
Grade						
09th	6	2.9	82	3.4	576	4.1
10th	s	s	130	5.2	767	5.6
11th	13	6.5	210	9.3	1,436	11.1
12th	13	8.1	350	15.4	2,104	16.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?




a: Yes; b: No; c: Not sure;
 Numerator: A; denominator: ABC;
 Question number: 2019q76; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Other Health Risks
 Number and Percent of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) during the past 12 months

School
 90.9%
 672 of 737 students*

Region
 85.2%
 8,072 of 9,479 students+

NH
 83.6%
 44,550 of 53,316 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	782	89.2	-	-	49,561	79.6
2013	-	-	-	-	-	-
2015	745	88.4	8,297	83.3	46,625	82.7
2017	711	85.5	8,033	83.6	44,608	82.8
2019	672	90.9	8,072	85.2	44,550	83.6

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	354	90.9	3,968	86.2	21,587	84.6
Male	309	91.5	4,063	84.3	22,508	82.7

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	179	91.8	2,101	87.7	11,879	85.7
10th	172	92.6	2,158	86.7	11,366	84.1
11th	176	90.1	1,929	85.9	10,741	84.1
12th	139	89.6	1,829	80.6	10,096	80.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

a: During the past 12 months; b: Between 12 and 24 months ago; c: More than 24 months ago; d: Never; e: Not sure;

Numerator: a; denominator: abcde;




Question number: 2019q77; 2017q75; 2015q68; 2013q999; 2011q75;

Category: Other Health Risks
 Number and Percent of students who saw a doctor or nurse (for a check-up or physical exam when they were not sick or injured) during the past 12 months

School
 82.0%
 607 of 735 students*

Region
 82.2%
 7,799 of 9,490 students+

NH
 80.7%
 43,001 of 53,258 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	669	76.4	-	-	44,582	71.8
2013	-	-	-	-	-	-
2015	678	80.6	7,819	78.5	44,685	79.3
2017	653	78.5	7,205	74.7	41,411	76.8
2019	607	82.0	7,799	82.2	43,001	80.7
Sex						
Female	314	80.6	3,875	84.1	20,863	81.7
Male	285	84.1	3,882	80.4	21,713	79.9
Grade						
09th	162	82.9	1,966	81.9	11,304	81.6
10th	154	82.7	2,137	85.4	11,033	81.8
11th	159	81.3	1,854	82.6	10,269	80.4
12th	125	80.7	1,787	78.7	9,940	79.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured?

a: During the past 12 months; b: Between 12 and 24 months ago; c: More than 24 months ago; d: Never; e: Not sure;

Numerator: a; denominator: abcde;


Question number: 2019q78; 2017q74; 2015q69; 2013q999; 2011q74;

Category: Other Health Risks
Number and Percent of students who had ever been told by a doctor or nurse that they had asthma



School
22.6%
 168 of 735 students*

Region
22.2%
 2,103 of 9,490 students+

NH
22.6%
 12,058 of 53,284 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	206	23.5	-	-	16,237	26.1
2013	208	25.6	-	-	12,955	22.1
2015	186	22.1	2,236	22.4	12,576	22.3
2017	-	-	-	-	-	-
2019	168	22.6	2,103	22.2	12,058	22.6
Sex						
Female	93	23.8	1,143	24.9	6,075	23.8
Male	73	21.8	947	19.6	5,829	21.4
Grade						
09th	38	19.4	524	21.8	2,785	20.1
10th	42	22.8	508	20.3	3,040	22.5
11th	47	24.1	526	23.4	2,975	23.3
12th	40	25.9	511	22.6	3,064	24.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Has a doctor or nurse ever told you that you have asthma?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2019q79; 2017q999; 2015q70; 2013q72; 2011q72;

Category: Other Health Risks
Number and Percent of students who got 8 or more hours of sleep on an average school night

School
20.1%
 149 of 732 students*

Region
21.8%
 2,051 of 9,420 students+

NH
23.9%
 12,662 of 52,932 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	228	27.1	2,437	24.5	15,921	28.4
2017	190	22.8	2,103	22.0	13,622	25.5
2019	149	20.1	2,051	21.8	12,662	23.9
Sex						
Female	80	20.3	902	19.7	5,520	21.7
Male	67	19.9	1,135	23.7	7,031	26.1
Grade						
09th	59	30.4	703	29.5	4,348	31.8
10th	31	16.8	519	20.8	3,205	23.8
11th	36	18.2	399	17.8	2,457	19.3
12th	22	14.1	412	18.5	2,497	20.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: On an average school night, how many hours of sleep do you get?

a: 4 or less hours; b: 5 hours; c: 6 hours; d: 7 hours; e: 8 hours; f: 9 hours; g: 10 or more hours;

Numerator: efg; denominator: abcdefg;

Question number: 2019q80; 2017q76; 2015q71; 2013q999; 2011q999;

Category: Other Health Risks
 Number and Percent of students who strongly agree or agree that their parents or other adults in their family have clear rules and consequences for their behavior

School
77.8%
 576 of 735 students*

Region
76.2%
 7,201 of 9,448 students+

NH
76.4%
 40,489 of 53,030 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	748	85.4	-	-	49,451	79.7
2013	646	79.3	-	-	46,103	79.0
2015	666	79.1	7,322	73.7	42,782	76.2
2017	-	-	-	-	-	-
2019	576	77.8	7,201	76.2	40,489	76.4
Sex						
Female	296	75.9	3,441	74.9	19,113	75.2
Male	273	80.7	3,726	77.6	20,961	77.5
Grade						
09th	153	78.2	1,866	77.8	10,613	77.1
10th	135	72.8	1,880	75.9	10,445	77.7
11th	161	81.9	1,692	75.6	9,450	74.3
12th	124	80.0	1,712	75.7	9,518	76.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




How the question was actually asked: Do you agree or disagree that your parents or other adults in your family have clear rules and consequences for your behavior?
 a: Strongly agree; b: Agree; c: Not sure; d: Disagree; e: Strongly disagree;
 Numerator: ab; denominator: abcde;
 Question number: 2019q81; 2017q999; 2015q74; 2013q76; 2011q77;

Category: Other Health Risks
 Number and Percent of students who reported that parents or other adults in their family never or rarely talk with them about what they are doing in school

School
 11.0%
 82 of 734 students*

Region
 15.2%
 1,440 of 9,459 students+

NH
 15.5%
 8,243 of 53,022 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	82	11.0	1,440	15.2	8,243	15.5
Sex						
Female	30	7.7	690	15.0	3,916	15.4
Male	48	14.2	733	15.3	4,182	15.5
Grade						
09th	22	11.2	405	16.8	2,047	14.8
10th	20	10.4	266	10.7	1,716	12.8
11th	17	8.8	302	13.4	2,036	16.0
12th	18	12.0	431	19.2	2,293	18.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How often do your parents or other adults in your family talk with you about what you are doing in school?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;


Numerator: ab; denominator: abcde;

Question number: 2019q82; 2017q999; 2015q999; 2013q999; 2011q999;



Category: Other Health Risks

Number and Percent of students who did not usually sleep in their parent's or guardian's home during the past 30 days

School 1.6% 11 of 735 students*	Region 2.3% 218 of 9,460 students+	NH 2.7% 1,448 of 52,968 students+
----------------------------------------------	-------------------------------------------------	------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	11	1.3	264	2.8	1,758	3.2
2019	11	1.6	218	2.3	1,448	2.7
Sex						
Female	s	s	81	1.8	583	2.3
Male	6	1.7	126	2.6	809	3.0
Grade						
09th	s	s	58	2.4	340	2.5
10th	s	s	38	1.5	267	2.0
11th	s	s	31	1.4	281	2.2
12th	s	s	75	3.3	455	3.7



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, where did you usually sleep?

a: In my parent's or guardian's home; b: In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing; c: In a shelter or emergency housing; d: In a motel or hotel; e: In a car, park, campground, or other public place; f: I do not have a usual place to sleep; g: Somewhere else;


Numerator: BCDEFG; denominator: ABCDEFG;

Question number: 2019q83; 2017q82; 2015q999; 2013q999; 2011q999;



Category: Other Health Risks

Number and Percent of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned during the past 30 days

School 2.6% 20 of 734 students*	Region 4.1% 383 of 9,430 students+	NH 4.2% 2,230 of 53,736 students+
----------------------------------------------	-------------------------------------------------	------------------------------------------------



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	30	3.7	374	4.0	2,356	4.5
2019	20	2.6	383	4.1	2,230	4.2
Sex						
Female	9	2.4	175	3.8	965	3.7
Male	8	2.4	194	4.1	1,196	4.4
Grade						
09th	s	s	85	3.6	494	3.5
10th	s	s	87	3.5	492	3.6
11th	6	2.9	82	3.6	545	4.2
12th	s	s	102	4.5	580	4.6



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?

a: Yes; b: No;




Numerator: a; denominator: ab;

Question number: 2019q84; 2017q83; 2015q999; 2013q999; 2011q999;

Category: Other Health Risks

Number and Percent of students who reported that either of their parents or other adults in their family had been in jail or in prison (during the past 12 months)

School 2.8% 21 of 733 students*	Region 6.5% 615 of 9,434 students+	NH 6.7% 3,560 of 53,006 students+
----------------------------------------------	-------------------------------------------------	------------------------------------------------



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	55	6.5	1,047	10.5	5,228	9.3
2017	51	6.2	831	8.6	4,759	8.8
2019	21	2.8	615	6.5	3,560	6.7
Sex						
Female	12	3.0	351	7.6	1,846	7.3
Male	9	2.7	264	5.5	1,656	6.1
Grade						
09th	s	s	223	9.4	1,117	8.1
10th	6	3.1	134	5.4	876	6.5
11th	6	2.9	149	6.6	829	6.5
12th	s	s	101	4.5	631	5.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have either of your parents or other adults in your family been in jail or in prison?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;


Question number: 2019q85; 2017q77; 2015q73; 2013q999; 2011q999;

Category: Other Health Risks
Number and Percent of students who have ever lived with someone who had a problem with alcohol or drugs

School
19.8%
 146 of 733 students*

Region
27.8%
 2,622 of 9,432 students+

NH
30.7%
 16,289 of 52,990 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	204	24.2	3,124	31.3	17,229	30.7
2017	-	-	-	-	-	-
2019	146	19.8	2,622	27.8	16,289	30.7
Sex						
Female	91	23.4	1,423	30.9	8,508	33.5
Male	51	15.0	1,179	24.7	7,571	28.0
Grade						
09th	30	15.3	686	28.7	4,193	30.5
10th	40	21.6	734	29.7	4,127	30.7
11th	41	21.2	606	27.1	3,940	31.0
12th	28	18.0	562	24.9	3,805	30.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever lived with anyone who had a problem with alcohol or drugs?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;


Question number: 2019q86; 2017q999; 2015q76; 2013q999; 2011q999;

Category: Other Health Risks
 Number and Percent of students who ever saw or heard adults in their home slap, hit, kick, punch, or hurt each other

School
 12.0%
 89 of 731 students*

Region
 15.1%
 1,421 of 9,396 students+

NH
 17.0%
 8,977 of 52,861 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	93	11.0	1,691	16.9	8,364	14.8
2017	-	-	-	-	-	-
2019	89	12.0	1,421	15.1	8,977	17.0
Sex						
Female	55	14.2	904	19.8	5,128	20.3
Male	28	8.2	499	10.5	3,663	13.6
Grade						
09th	21	10.7	427	17.9	2,502	18.2
10th	27	14.2	373	15.1	2,334	17.4
11th	20	10.0	314	14.0	2,007	15.8
12th	17	11.3	286	12.7	1,940	15.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever seen or heard adults in your home slap, hit, kick, punch, or hurt each other?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q87; 2017q999; 2015q22; 2013q999; 2011q999;